

EF COMPRESSED AIR LINE FILTERS SPECIFICATIONS

FILTER MODEL	FILTER CAPACITY			CONNECTION	WORKING TEMP.(°F)		WORKING PRES.(psi)		Dimensions (in.)	
	M3/H	Lt / Min	CFM		MAX.	MIN.	MAX.	MIN.	Q	H
EF1450	87	1,450	51	1/2"	176	35.6	232	29	3.7	10.82
EF2300	138	2,300	81	3/4"	176	35.6	232	29	3.7	10.82
EF4200	252	4,200	148	1"	176	35.6	232	29	4.7	11.81
EF7500	450	7,500	265	1 1/2"	176	35.6	232	29	4.7	15.75
EF11000	660	11,000	388	1 1/2"	176	35.6	232	29	4.7	21.45
EF20000	1200	20,000	706	2"	176	35.6	232	29	6.9	27.13
EF30000	1800	30,000	1,059	3"	176	35.6	232	29	8.07	25.28
EF40000	2400	40,000	1,413	3"	176	35.6	232	29	8.07	31.58
EF50000	3000	50,000	1,766	3"	176	35.6	232	29	8.07	38.07

CORRECTION FACT.	0.38	0.50	0.75	1	1.13	1.25	1.50	1.75	2.00
BAR	2	3	5	7	8	9	11	13	15
PSI	29	44	73	100	116	131	160	189	218

FILTER SERIES	Partical Filtration	Oil Vapor Filtration	Nominal Pressure Drop
SF	0.1 micron	0.1 mg/m3	0.72 psi
PF	0.01 micron	0.01 mg/m3	1.16 psi
CF	-	0.003 mg/m3	1.45 psi

